



LED

LED Road Lamp Head Series



Measurement



Product Description:

- o The lamp post and cover is made of aluminium die-casting;
- o Light - pure aluminium reflector,the surface is oxidized,so it has high reflectance that can make sure the high output of luminous flux;
- o Waterproof,dust - proofing;
- o The new silicone rubber gasket can adapt the temperature over 250 C



80W



60W



100W



150W




Back


LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED LED Color	Working Life	Lamp Size	Lamp Material
MM-401	80W	AC85_265V	2700 - 7000K	W/WW	50000H	L738 x W326 x H101mm	AL
MM-402	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L728 x W326 x H101mm	AL
MM-403	100W	AC85_265V	2700 - 7000K	W/WW	50000H	L728 x W326 x H101mm	AL
MM-404	150W	AC85_265V	2700 - 7000K	W/WW	50000H	L838 x W369 x H106mm	AL



Measurement



Scop of use:

Widely used in City Road, secondary road, branch road, factories, school, gardens, residential, city square, Garden Road lighting



50W



100W



150W



Back


LED

LED Road Lamp Head Conventional Technical Parameters


Model	power	Working Voltage	Color Temperature	LED LED Color	Working Life	Lamp Size	Lamp Material
MM-501	50W	AC85_265V	2700 - 7000K	W/WW	50000H	L590 x W250 x H100mm	AL
MM-502	100W	AC85_265V	2700 - 7000K	W/WW	50000H	L955 x W345 x H103mm	AL
MM-503	150W	AC85_265V	2700 - 7000K	W/WW	50000H	L1004 x W405 x H103mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement



Product Description:

- o Owned patent, good performance and thermal management.
- o Main structure made by die - casting aluminum, and anti - corrosion treatment on surface
- o Reasonable design, easy to install.



50/100W



120/140W




150/180W



LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED LED Color	Working Life	Lamp Size	Lamp Material
MM-601	50/100W	AC85_265V	2700 - 7000K	W/WW	50000H	L721 x W338 x H138mm	AL
MM-602	120/140W	AC85_265V	2700 - 7000K	W/WW	50000H	L721 x W338 x H138mm	AL
MM-603	150/180W	AC85_265V	2700 - 7000K	W/WW	50000H	L721 x W338 x H138mm	AL



Product Description:

- o Fashionable and modern design makes the light a nice look;
- o Anti-glare toughen glass have light transmission and ultraviolet resistance function



LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED LED Color	Working Life	Lamp Size	Lamp Material
MM-701	30/80W	AC85_265V	2700 - 7000K	W/WW	50000H	L530 x W250 x H110mm	AL
MM-702	80/120W	AC85_265V	2700 - 7000K	W/WW	50000H	L650 x W250 x H110mm	AL
MM-703	150W	AC85_265V	2700 - 7000K	W/WW	50000H	L820 x W320 x H130mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement



Product Description:

- Shell is made of copper or aluminum coating, surface unique black or silver alumina decoration face cover, uses the high quality standard of large power LED light source, the color can be chosen arbitrarily, the lamp body radiating aluminum base board thickness, excellent heat dissipation, ensure long lamp life.



100W



200W



220W



240W




Back

LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-801	100W	AC85_265V	2700 - 7000K	W/WW	50000H	L540 x W250 x H95mm	AL
MM-802	200W	AC85_265V	2700 - 7000K	W/WW	50000H	L700 x W350 x H110mm	AL
MM-803	220W	AC85_265V	2700 - 7000K	W/WW	50000H	L700 x W350 x H110mm	AL
MM-804	240W	AC85_265V	2700 - 7000K	W/WW	50000H	L880 x W350 x H110mm	AL



50W



60W



120W



180W



Back

LED



LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-801	50W	AC85_265V	2700 - 7000K	W/WW	50000H	L560 x W280 x H95mm	AL
MM-802	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L560 x W280 x H95mm	AL
MM-803	120W	AC85_265V	2700 - 7000K	W/WW	50000H	L880 x W310 x H150mm	AL
MM-804	180W	AC85_265V	2700 - 7000K	W/WW	50000H	L880 x W310 x H150mm	AL



LED LAMP

LED Road Lamp Head Series



Measurement



Product Description:

- Owned patent, good performance and thermal management.
- Main structure made by die - casting aluminum, and anti - corrosion treatment on surface
- Reasonable design, easy to install.



60W



120W



180W




Back

LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-1001	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L950 x W346mm	AL
MM-1002	120W	AC85_265V	2700 - 7000K	W/WW	50000H	L950 x W346mm	AL
MM-1003	180W	AC85_265V	2700 - 7000K	W/WW	50000H	L950 x W346mm	AL



60W



120W



180W



Back

LED


LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-1101	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L600 x W260mm	AL
MM-1102	120W	AC85_265V	2700 - 7000K	W/WW	50000H	L600 x W260mm	AL
MM-1103	180W	AC85_265V	2700 - 7000K	W/WW	50000H	L600 x W260mm	AL



LED LAMP

LED Road Lamp Head Series



Measurement



100W



160W



240W







Back

LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-1201	100W	AC85_265V	2700 - 7000K	W/WW	50000H	L600 x W390 x H185mm	AL
MM-1202	160W	AC85_265V	2700 - 7000K	W/WW	50000H	L730 x W505 x H186mm	AL
MM-1203	240W	AC85_265V	2700 - 7000K	W/WW	50000H	L960 x W505 x H188mm	AL






LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-1301	20W	AC85_265V	2700 - 7000K	W/WW	50000H	L360 x W175 x H70mm	AL
MM-1302	30W	AC85_265V	2700 - 7000K	W/WW	50000H	L575 x W245 x H70mm	AL
MM-1303	50W	AC85_265V	2700 - 7000K	W/WW	50000H	L575 x W245 x H70mm	AL
MM-1304	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L575 x W245 x H70mm	AL
MM-1305	80W	AC85_265V	2700 - 7000K	W/WW	50000H	L680 x W302 x H70mm	AL
MM-1306	100W	AC85_265V	2700 - 7000K	W/WW	50000H	L600 x W302 x H70mm	AL
MM-1307	120W	AC85_265V	2700 - 7000K	W/WW	50000H	L600 x W302 x H70mm	AL
MM-1308	180W	AC85_265V	2700 - 7000K	W/WW	50000H	L783 x W350 x H70mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement



Product Description:

- o Owned patent, good performance and thermal management.
- o Main structure made by die - casting aluminum, and anti - corrosion treatment on surface
- o Reasonable design, easy to install.



52W



90W




120W



LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-1401	52W	AC85_265V	2700 - 7000K	W/WW	50000H	L670 x W230 x H100mm	AL
MM-1402	90W	AC85_265V	2700 - 7000K	W/WW	50000H	L750 x W250 x H100mm	AL
MM-1403	120W	AC85_265V	2700 - 7000K	W/WW	50000H	L750 x W250 x H100mm	AL



Measurement

**Product Description:**

- Fashionable and modern design makes the light a nice look;
- Anti-glare toughen glass have light transmission and ultraviolet resistance function



30W



60W




80W

**LED****LED Road Lamp Head Conventional Technical Parameters**

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-1501	30W	AC85_265V	2700 - 7000K	W/WW	50000H	L550 x W180 x H70mm	AL
MM-1502	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L550 x W180 x H70mm	AL
MM-1503	80W	AC85_265V	2700 - 7000K	W/WW	50000H	L550 x W180 x H70mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement



90W



125W



150W



180W




Back

LED

LED Road Lamp Head Conventional Technical Parameters


Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-1601	90W	AC85_265V	2700 - 7000K	W/WW	50000H	L410 x W300 x H105mm	AL
MM-1602	125W	AC85_265V	2700 - 7000K	W/WW	50000H	L560 x W300 x H105mm	AL
MM-1603	150W	AC85_265V	2700 - 7000K	W/WW	50000H	L710 x W300 x H105mm	AL
MM-1604	180W	AC85_265V	2700 - 7000K	W/WW	50000H	L860 x W300 x H105mm	AL





Product Description:

- Shell is made of copper or aluminum coating, surface unique black or silver alumina decoration face cover, uses the high quality standard of large power LED light source, the color can be chosen arbitrarily, the lamp body radiating aluminum base board thickness, excellent heat dissipation, ensure long lamp life.




LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-1701	90W	AC85_265V	2700 - 7000K	W/WW	50000H	L645 x W350 x H120mm	AL
MM-1702	120W	AC85_265V	2700 - 7000K	W/WW	50000H	L730 x W350 x H120mm	AL
MM-1703	150W	AC85_265V	2700 - 7000K	W/WW	50000H	L815 x W350 x H120mm	AL
MM-1704	180W	AC85_265V	2700 - 7000K	W/WW	50000H	L900 x W350 x H120mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement



Product Description:

- Shell is made of copper or aluminum coating, surface unique black or silver alumina decoration face cover, uses the high quality standard of large power LED light source, the color can be chosen arbitrarily, the lamp body radiating aluminum base board thickness, excellent heat dissipation, ensure long lamp life.



90W



125W



150W



180W




Back

LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-1801	90W	AC85_265V	2700 - 7000K	W/WW	50000H	L510 x W350 x H135mm	AL
MM-1802	125W	AC85_265V	2700 - 7000K	W/WW	50000H	L660 x W350 x H135mm	AL
MM-1803	150W	AC85_265V	2700 - 7000K	W/WW	50000H	L810 x W350 x H135mm	AL
MM-1804	180W	AC85_265V	2700 - 7000K	W/WW	50000H	L960 x W350 x H135mm	AL



Measurement



Scop of use:

- Widely used in City Road, secondary road, branch road, factories, school, gardiens, residential, city square, Garden Road lighting



90W



120W



150W



180W



Back


LED

LED Road Lamp Head Conventional Technical Parameters


Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-1901	90W	AC85_265V	2700 - 7000K	W/WW	50000H	L405 x W350 x H105mm	AL
MM-1902	120W	AC85_265V	2700 - 7000K	W/WW	50000H	L555 x W350 x H105mm	AL
MM-1903	150W	AC85_265V	2700 - 7000K	W/WW	50000H	L705 x W345 x H100mm	AL
MM-1904	180W	AC85_265V	2700 - 7000K	W/WW	50000H	L855 x W345 x H100mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement



48/72W

72/108W

96/144W


120/180W



LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-2001	48/72W	AC85_265V	2700 - 7000K	W/WW	50000H	L510 x W380 x H90mm	AL
MM-2002	72/108W	AC85_265V	2700 - 7000K	W/WW	50000H	L590 x W380 x H90mm	AL
MM-2003	96/144W	AC85_265V	2700 - 7000K	W/WW	50000H	L675 x W380 x H90mm	AL
MM-2004	120/180W	AC85_265V	2700 - 7000K	W/WW	50000H	L759 x W380 x H90mm	AL



Measurement



60W



90W



120W



150W


LED

LED Road Lamp Head Conventional Technical Parameters


Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-2101	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L873 x W296 x H142mm	AL
MM-2102	90W	AC85_265V	2700 - 7000K	W/WW	50000H	L873 x W296 x H142mm	AL
MM-2103	120W	AC85_265V	2700 - 7000K	W/WW	50000H	L1003 x W296 x H142mm	AL
MM-2104	150W	AC85_265V	2700 - 7000K	W/WW	50000H	L1003 x W296 x H142mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement



30W



60W




90W



LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-2201	30W	AC85_265V	2700 - 7000K	W/WW	50000H	L870 × W370 × H220mm	AL
MM-2202	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L870 × W370 × H220mm	AL
MM-2203	90W	AC85_265V	2700 - 7000K	W/WW	50000H	L870 × W370 × H220mm	AL



Measurement



Scop of use:

- Widely used in City Road, secondary road, branch road, factories, school, gardens, residential, city square, Garden Road lighting



60W



90W



120W



150W


LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-2301	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L780 x W400 x H130mm	AL
MM-2302	90W	AC85_265V	2700 - 7000K	W/WW	50000H	L880 x W400 x H130mm	AL
MM-2303	120W	AC85_265V	2700 - 7000K	W/WW	50000H	L980 x W400 x H130mm	AL
MM-2304	150W	AC85_265V	2700 - 7000K	W/WW	50000H	L1080 x W400 x H130mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement



Product Description:

- Shell is made of copper or aluminum coating, surface unique black or silver alumina decoration face cover, uses the high quality standard of large power LED light source, the color can be chosen arbitrarily, the lamp body radiating aluminum base board thickness, excellent heat dissipation, ensure long lamp life.



64W



80W



112W




Back

LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-2401	64W	AC85_265V	2700 - 7000K	W/WW	50000H	L456 × W360 × H80mm	AL
MM-2402	80W	AC85_265V	2700 - 7000K	W/WW	50000H	L517 × W360 × H80mm	AL
MM-2403	112W	AC85_265V	2700 - 7000K	W/WW	50000H	L639 × W360 × H80mm	AL
MM-2404	128W	AC85_265V	2700 - 7000K	W/WW	50000H	L700 × W360 × H80mm	AL
MM-2405	144W	AC85_265V	2700 - 7000K	W/WW	50000H	L761 × W360 × H80mm	AL



Measurement




LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-2501	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L359 x W280mm	AL
MM-2502	120W	AC85_265V	2700 - 7000K	W/WW	50000H	L440 x W280mm	AL
MM-2503	150W	AC85_265V	2700 - 7000K	W/WW	50000H	L521 x W280mm	AL
MM-2504	180W	AC85_265V	2700 - 7000K	W/WW	50000H	L602 x W280mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement



Scop of use:

- Widely used in City Road, secondary road, branch road, factories, school, gardens, residential, city square, Garden Road lighting



36W



54W



72W



108W

LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-2601	36W	AC85_265V	2700 - 7000K	W/WW	50000H	L470 x W390 x H115mm	AL
MM-2602	54W	AC85_265V	2700 - 7000K	W/WW	50000H	L610 x W390 x H115mm	AL
MM-2603	72W	AC85_265V	2700 - 7000K	W/WW	50000H	L750 x W390 x H115mm	AL
MM-2604	108W	AC85_265V	2700 - 7000K	W/WW	50000H	L800 x W390 x H115mm	AL



Measurement




LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-2601	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L530 x W310 x H82mm	AL
MM-2602	90W	AC85_265V	2700 - 7000K	W/WW	50000H	L638 x W310 x H82mm	AL
MM-2603	120W	AC85_265V	2700 - 7000K	W/WW	50000H	L740 x W310 x H82mm	AL
MM-2604	180W	AC85_265V	2700 - 7000K	W/WW	50000H	L852 x W310 x H82mm	AL
MM-2405	144W	AC85_265V	2700 - 7000K	W/WW	50000H	L960 x W310 x H82mm	AL

LED LAMP

LED Road Lamp Head Series




Measurement



LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-2801	28W	AC85_265V	2700 - 7000K	W/WW	50000H	L310 x W315 x H80mm	AL
MM-2802	42W	AC85_265V	2700 - 7000K	W/WW	50000H	L373 x W315 x H80mm	AL
MM-2803	56W	AC85_265V	2700 - 7000K	W/WW	50000H	L430 x W315 x H80mm	AL
MM-2804	84W	AC85_265V	2700 - 7000K	W/WW	50000H	L552 x W315 x H80mm	AL
MM-2805	98W	AC85_265V	2700 - 7000K	W/WW	50000H	L485 x W305 x H80mm	AL
MM-2806	112W	AC85_265V	2700 - 7000K	W/WW	50000H	L545 x W305 x H80mm	AL
MM-2807	126W	AC85_265V	2700 - 7000K	W/WW	50000H	L605 x W305 x H80mm	AL



Measurement



30W



50W



60W



80W

LED

LED Road Lamp Head Conventional Technical Parameters


Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-2901	30W	AC85_265V	2700 - 7000K	W/WW	50000H	L530 x W310 x H82mm	AL
MM-2902	50W	AC85_265V	2700 - 7000K	W/WW	50000H	L638 x W310 x H82mm	AL
MM-2903	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L740 x W310 x H82mm	AL
MM-2904	80W	AC85_265V	2700 - 7000K	W/WW	50000H	L852 x W310 x H82mm	AL

LED LAMP

LED Road Lamp Head Series




Measurement



LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-3001	112W	AC85_265V	2700 - 7000K	W/WW	50000H	L610 x W305 x H55mm	AL
MM-3002	126W	AC85_265V	2700 - 7000K	W/WW	50000H	L670 x W305 x H55mm	AL
MM-3003	140W	AC85_265V	2700 - 7000K	W/WW	50000H	L730 x W305 x H55mm	AL
MM-3004	154W	AC85_265V	2700 - 7000K	W/WW	50000H	L790 x W305 x H55mm	AL
MM-3005	168W	AC85_265V	2700 - 7000K	W/WW	50000H	L850 x W305 x H55mm	AL



Product Description:

- The lamp post and cover is made of aluminium die-casting;
- Light - pure aluminium reflector, the surface is oxidized, so it has high reflectance that can make sure the high output of luminous flux;
- Waterproof, dust - proofing;
- The new silicone rubber gasket can adapt the temperature over 250 °C




LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-3101	56W	AC85_265V	2700 - 7000K	W/WW	50000H	L436 x W295 x H56mm	AL
MM-3102	98W	AC85_265V	2700 - 7000K	W/WW	50000H	L587 x W295 x H56mm	AL
MM-3103	126W	AC85_265V	2700 - 7000K	W/WW	50000H	L688 x W295 x H56mm	AL
MM-3104	154W	AC85_265V	2700 - 7000K	W/WW	50000H	L789 x W295 x H56mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement



Product Description:

- Shell is made of copper or aluminum coating, surface unique black or silver alumina decoration face cover, uses the high quality standard of large power LED light source, the color can be chosen arbitrarily, the lamp body radiating aluminum base board thickness, excellent heat dissipation, ensure long lamp life.



28W



42W



56W



70W



98W

LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-3201	28W	AC85_265V	2700 - 7000K	W/WW	50000H	L312 x W310 x H80mm	AL
MM-3202	42W	AC85_265V	2700 - 7000K	W/WW	50000H	L372 x W310 x H80mm	AL
MM-3203	56W	AC85_265V	2700 - 7000K	W/WW	50000H	L432 x W310 x H80mm	AL
MM-3204	70W	AC85_265V	2700 - 7000K	W/WW	50000H	L492 x W310 x H80mm	AL
MM-3205	98W	AC85_265V	2700 - 7000K	W/WW	50000H	L612 x W318 x H80mm	AL



Installation and feature:

POLE DIMENSION: Ø90mm




LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-3301	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L511 x W315 x H204mm	AL
MM-3302	90W	AC85_265V	2700 - 7000K	W/WW	50000H	L602 x W315 x H204mm	AL
MM-3303	120W	AC85_265V	2700 - 7000K	W/WW	50000H	L693 x W315 x H204mm	AL
MM-3304	150W	AC85_265V	2700 - 7000K	W/WW	50000H	L784 x W315 x H204mm	AL
MM-3305	180W	AC85_265V	2700 - 7000K	W/WW	50000H	L875 x W315 x H204mm	AL
MM-3306	210W	AC85_265V	2700 - 7000K	W/WW	50000H	L966 x W315 x H204mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement



Product Description:

- Owned patent, good performance and thermal management.
- Main structure made by die - castingn aluminum, and anti - corrosion treatment on surface
- Reasonable design, easy to install.



30W



40W



60W




Back

LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-3401	28W	AC85_265V	2700 - 7000K	W/WW	50000H	L550 x W250 x H60mm	AL
MM-3402	42W	AC85_265V	2700 - 7000K	W/WW	50000H	L550 x W250 x H60mm	AL
MM-3403	56W	AC85_265V	2700 - 7000K	W/WW	50000H	L550 x W250 x H60mm	AL



Measurement

**Product Description:**

- Fashionable and modern design makes the light a nice look;
- Anti-glare toughen glass have light transmission and ultraviolet resistance function



60W



100W



120W




Back

LED**LED Road Lamp Head Conventional Technical Parameters**

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-3501	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L511 x W315 x H204mm	AL
MM-3502	100W	AC85_265V	2700 - 7000K	W/WW	50000H	L602 x W315 x H204mm	AL
MM-3503	120W	AC85_265V	2700 - 7000K	W/WW	50000H	L693 x W315 x H204mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement



Scop of use:


- Widely used in City Road, secondary road, branch road, factories, school, gardens, residential, city square, Garden Road lighting



LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-3601	42W	AC85_265V	2700 - 7000K	W/WW	50000H	L400 x W300 x H330mm	AL
MM-3602	56W	AC85_265V	2700 - 7000K	W/WW	50000H	L460 x W300 x H330mm	AL
MM-3603	70W	AC85_265V	2700 - 7000K	W/WW	50000H	L520 x W300 x H330mm	AL
MM-3604	84W	AC85_265V	2700 - 7000K	W/WW	50000H	L580 x W300 x H330mm	AL



Measurement

**Product Description:**

- Shell is made of copper or aluminum coating, surface unique black or silver alumina decoration face cover, uses the high quality standard of large power LED light source, the color can be chosen arbitrarily, the lamp body radiating aluminum base board thickness, excellent heat dissipation, ensure long lamp life.




60W



120W




180W

**LED****LED Road Lamp Head Conventional Technical Parameters**

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-3701	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L511 x W315 x H204mm	AL
MM-3702	120W	AC85_265V	2700 - 7000K	W/WW	50000H	L602 x W315 x H204mm	AL
MM-3703	180W	AC85_265V	2700 - 7000K	W/WW	50000H	L693 x W315 x H204mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement



20/30/40/50W



40/60/80W




60/90/120W



LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-3801	20/30/40/50W	AC85_265V	2700 - 7000K	W/WW	50000H	L755 x W335 x H210mm	AL
MM-3802	40/60/80W	AC85_265V	2700 - 7000K	W/WW	50000H	L830 x W360 x H260mm	AL
MM-3803	60/90/120W	AC85_265V	2700 - 7000K	W/WW	50000H	L960 x W430 x H320mm	AL



Measurement



20/30/40/50W



40/60/80W



60/90/120W




LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-3901	20/30/40/50W	AC85_265V	2700 - 7000K	W/WW	50000H	L750 x W360 x H220mm	AL
MM-3902	40/60/80W	AC85_265V	2700 - 7000K	W/WW	50000H	L750 x W360 x H220mm	AL
MM-3903	60/90/120W	AC85_265V	2700 - 7000K	W/WW	50000H	L905 x W460 x H285mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement



20/30/40/50W



20/40/60W



30/60/90W



LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-4001	20/30/40/50W	AC85_265V	2700 - 7000K	W/WW	50000H	L735 x W350 x H180mm	AL
MM-4002	20/40/60W	AC85_265V	2700 - 7000K	W/WW	50000H	L735 x W350 x H180mm	AL
MM-4003	30/60/90W	AC85_265V	2700 - 7000K	W/WW	50000H	L735 x W350 x H180mm	AL



56W



112W



168W




LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-4101	56W	AC85_265V	2700 - 7000K	W/WW	50000H	L460 × W310 × H82mm	AL
MM-4102	112W	AC85_265V	2700 - 7000K	W/WW	50000H	L600 × W310 × H82mm	AL
MM-4103	168W	AC85_265V	2700 - 7000K	W/WW	50000H	L750 × W305 × H82mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement

Product Description:

- o The lamp post and cover is made of aluminium die-casting;
- o Light - pure aluminium reflector,the surface is oxidized,so it has high reflectance that can make sure the high output of luminous flux;
- o Waterproof, dust - proofing;
- o The new silicone rubber gasket can adapt the temperature over 250 °C



60W



120W



180W





240W

LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-4201	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L379 x W156 x H60mm	AL
MM-4202	120W	AC85_265V	2700 - 7000K	W/WW	50000H	L379 x W312 x H60mm	AL
MM-4203	180W	AC85_265V	2700 - 7000K	W/WW	50000H	L470 x W390 x H100mm	AL
MM-4204	240W	AC85_265V	2700 - 7000K	W/WW	50000H	L624 x W390 x H100mm	AL



Measurement



56W



112W




LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-4301	56W	AC85_265V	2700 - 7000K	W/WW	50000H	L230 x W225 x H90mm	AL
MM-4302	112W	AC85_265V	2700 - 7000K	W/WW	50000H	L360 x W225 x H65mm	AL
MM-4303	168W	AC85_265V	2700 - 7000K	W/WW	50000H	L515 x W225 x H65mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement



Product Description:

- o The lamp post and cover is made of aluminium die-casting;
- o Light - pure aluminium reflector, the surface is oxidized, so it has high reflectance that can make sure the high output of luminous flux;
- o Waterproof, dust - proofing;
- o The new silicone rubber gasket can adapt the temperature over 250 °C



60W



120W



180W




240W

LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-4401	60W	AC85_265V	2700 - 7000K	W/WW	50000H	L480 x W310 x H75mm	AL
MM-4402	120W	AC85_265V	2700 - 7000K	W/WW	50000H	L615 x W310 x H75mm	AL
MM-4403	180W	AC85_265V	2700 - 7000K	W/WW	50000H	L750 x W310 x H75mm	AL
MM-4404	240W	AC85_265V	2700 - 7000K	W/WW	50000H	L885 x W310 x H75mm	AL



Measurement



56W

112W

168W



Product Description:

- Fashionable and modern design makes the light a nice look;
- Anti-glare toughen glass have light transmission and ultraviolet resistance function

LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-4501	56W	AC85_265V	2700 - 7000K	W/WW	50000H	L540 x W320 x H90mm	AL
MM-4502	112W	AC85_265V	2700 - 7000K	W/WW	50000H	L715 x W320 x H90mm	AL
MM-4503	168W	AC85_265V	2700 - 7000K	W/WW	50000H	L890 x W320 x H90mm	AL
MM-4504	224W	AC85_265V	2700 - 7000K	W/WW	50000H	L1065 x W320 x H90mm	AL



LED LAMP

LED Road Lamp Head Series



MM - 4601

Power: 50W
Voltage: AC85 - 265V
Color: WWWW
Size: L870*W230mm
Material: AL



MM - 4602

Power: 150W
Voltage: AC85 - 265V
Color: WWWW
Size: L520*W240mm
Material: AL



MM - 4603

Power: 100W
Voltage: AC85 - 265V
Color: WWWW
Size: L520*W240*H110mm
Material: AL



MM - 4604

Power: 50/120W
Voltage: AC85 - 265V
Color: WWWW
Size: L520*W240*H110mm
Material: AL



MM - 4605

Power: 60W
Voltage: AC85 - 265V
Color: WWWW
Size: L605*W270*H85mm
Material: AL



MM - 4606

Power: 50W
Voltage: AC85 - 265V
Color: WWWW
Size: L550*W250mm
Material: AL



MM - 4607

Power: 120W
Voltage: AC85 - 265V
Color: WWWW
Size: L725*W295*H85mm
Material: AL



MM - 4608

Power: 50/120W
Voltage: AC85 - 265V
Color: WWWW
Size: L820*W300*H130mm
Material: AL

**MM - 4701**

Power: 120W
Voltage: AC85 - 265V
Color: WWWW
Size: L700xW340xH140
Material: AL

**MM - 4702**

Power: 40W
Voltage: AC85 - 265V
Color: WWWW
Size: L345xW185xH85mm
Material: AL

**MM - 4703**

Power: 60W
Voltage: AC85 - 265V
Color: WWWW
Size: L555xW250xH103
Material: AL

**MM - 4704**

Power: 58W
Voltage: AC85 - 265V
Color: WWWW
Size: L615xW320xH90mm
Material: AL

**MM - 4705**

Power: 40W
Voltage: AC85 - 265V
Color: WWWW
Size: L466xW230xH78mm
Material: AL

**MM - 4706**

Power: 30/42/56W
Voltage: AC85 - 265V
Color: WWWW
Size: L670xW230mm
Material: AL

LED LAMP

LED Road Lamp Head Series



MM - 4801

Power: 120/180W
Voltage: AC85 - 265V
Color: WWW
Size: L480*W320*H80mm
Material: AL



MM - 4802

Power: 18W
Voltage: AC85 - 265V
Color: WWW
Size: L365*W158*H69mm
Material: AL



MM - 4803

Power: 36W
Voltage: AC85 - 265V
Color: WWW
Size: L380*W228*H50mm
Material: AL



MM - 4804

Power: 100W
Voltage: AC85 - 265V
Color: WWW
Size: L830*W350*H120mm
Material: AL



MM - 4805

Power: 60W
Voltage: AC85 - 265V
Color: WWW
Size: L730*W230*H131mm
Material: AL



MM - 4806

Power: 160W
Voltage: AC85 - 265V
Color: WWW
Size: L570*W307*H250mm
Material: AL



MM - 4807

Power: 120W
Voltage: AC85 - 265V
Color: WWW
Size: L780*W420mm
Material: AL



MM - 4808

Power: 60W
Voltage: AC85 - 265V
Color: WWW
Size: L674*W212*H261mm
Material: AL

**MM - 4901**

Power: 100W
Voltage: AC85 - 265V
Color: WWWW
Size: L820xW330xH85
Material: AL

**MM - 4902**

Power: 150W
Voltage: AC85 - 265V
Color: WWWW
Size: L980xW355xH105mm
Material: AL

**MM - 4903**

Power: 20/55W
Voltage: AC85 - 265V
Color: WWWW
Size: L285xW175xH52mm
Material: AL

**MM - 4904**

Power: 55/112/160W
Voltage: AC85 - 265V
Color: WWWW
Size: L540xW310xH120mm
Material: AL

**MM - 4905**

Power: 50/100W
Voltage: AC85 - 265V
Color: WWWW
Size: L450xW240xH60mm
Material: AL

**MM - 4906**

Power: 20/30W
Voltage: AC85 - 265V
Color: WWWW
Size: L515xW250xH150mm
Material: AL

LED LAMP

LED Road Lamp Head Series



MM - 5001

Power: 30/40/50/80/100W
Voltage: AC85 - 265V
Color: WWWW
Size: L845xW400xH230mm
Material: AL



MM - 5002

Power: 40/80/80W
Voltage: AC85 - 265V
Color: WWWW
Size: L490xW320xH80mm
Material: AL



MM - 5003

Power: 60/90/120W
Voltage: AC85 - 265V
Color: WWWW
Size: L855xW380xH230mm
Material: AL



MM - 5004

Power: 60W
Voltage: AC85 - 265V
Color: WWWW
Size: L695xW345xH200mm
Material: AL



MM - 5005

Power: 30/50W
Voltage: AC85 - 265V
Color: WWWW
Size: L530xW280xH170mm
Material: AL



MM - 5006

Power: 30/80W
Voltage: AC85 - 265V
Color: WWWW
Size: L650xW380xH210mm
Material: AL



MM - 5007

Power: 90W
Voltage: AC85 - 265V
Color: WWWW
Size: L960xW420xH350mm
Material: AL



MM - 5008

Power: 30/50/80/100W
Voltage: AC85 - 265V
Color: WWWW
Size: L670xW300xH200mm
Material: AL



MM - 5009

Power: 60/100W
Voltage: AC85 - 265V
Color: WWWW
Size: L850xW400xH275mm
Material: AL



MM - 5010

Power: 120W
Voltage: AC85 - 265V
Color: WWWW
Size: L1150xW320xH80mm
Material: AL

**MM - 5101**

Power: 50W
Voltage: AC85 - 265V
Color: WWW
Size: L750*W315*H253mm
Material: AL

**MM - 5103**

Power: 40/60W
Voltage: AC85 - 265V
Color: WWW
Size: L530*W245*H168mm
Material: AL

**MM - 5105**

Power: 140W
Voltage: AC85 - 265V
Color: WWW
Size: L1030*W370*H225mm
Material: AL

**MM - 5107**

Power: 50W
Voltage: AC85 - 265V
Color: WWW
Size: L830*W310*H192mm
Material: AL

**MM - 5109**

Power: 30W
Voltage: AC85 - 265V
Color: WWW
Size: L340*W130mm
Material: AL

**MM - 5102**

Power: 50/160W
Voltage: AC85 - 265V
Color: WWW
Size: L810*W240mm
Material: AL

**MM - 5104**

Power: 40/60/120/160W
Voltage: AC85 - 265V
Color: WWW
Size: L750*W390*H115mm
Material: AL

**MM - 5106**

Power: 30/60W
Voltage: AC85 - 265V
Color: WWW
Size: L135*W260*H125mm
Material: AL

**MM - 5108**


Power: 120W
Voltage: AC85 - 265V
Color: WWW
Size: L812*W340*H170mm
Material: AL

**MM - 5110**

Power: 30/42/55W
Voltage: AC85 - 265V
Color: WWW
Size: L530*W260mm
Material: AL

LED LAMP

LED Road Lamp Head Series



Measurement



Product Description:

Using high brightness LED



18W



24W



30W




48W

LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-5201	18W	AC85_265V	2700 - 7000K	W/WW	50000H	Φ103×H200mm	AL
MM-5202	24W	AC85_265V	2700 - 7000K	W/WW	50000H	Φ103×H220mm	AL
MM-5203	30W	AC85_265V	2700 - 7000K	W/WW	50000H	Φ103×H240mm	AL
MM-5204	48W	AC85_265V	2700 - 7000K	W/WW	50000H	Φ103×H330mm	AL



Measurement

**Product Description:**

Using high brightness LED



18W



24W



32W




40W

LED**LED Road Lamp Head Conventional Technical Parameters**

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-5301	18W	AC85_265V	2700 - 7000K	W/WW	50000H	Φ103×H230mm	AL
MM-5302	24W	AC85_265V	2700 - 7000K	W/WW	50000H	Φ103×H250mm	AL
MM-5303	32W	AC85_265V	2700 - 7000K	W/WW	50000H	Φ103×H270mm	AL
MM-5304	40W	AC85_265V	2700 - 7000K	W/WW	50000H	Φ103×H305mm	AL

LED LAMP

LED Road Lamp Head Series



Measurement



Product Description:

Using high brightness LED



LED

LED Road Lamp Head Conventional Technical Parameters

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-5401	24W	AC85_265V	2700 - 7000K	W/WW	50000H	Φ103×H220mm	AL
MM-5402	32W	AC85_265V	2700 - 7000K	W/WW	50000H	Φ103×H260mm	AL
MM-5403	36W	AC85_265V	2700 - 7000K	W/WW	50000H	Φ103×H275mm	AL
MM-5404	40W	AC85_265V	2700 - 7000K	W/WW	50000H	Φ103×H290mm	AL



Measurement

**Product Description:**

Using high brightness LED



42W



48W



54W



60W

LED**LED Road Lamp Head Conventional Technical Parameters**

Model	power	Working Voltage	Color Temperature	LED Color	Working Life	Lamp Size	Lamp Material
MM-5501	42W	AC85_265V	2700 - 7000K	W/WW	50000H	φ148xH236mm	AL
MM-5502	48W	AC85_265V	2700 - 7000K	W/WW	50000H	φ148xH255mm	AL
MM-5503	54W	AC85_265V	2700 - 7000K	W/WW	50000H	φ148xH272mm	AL
MM-5504	60W	AC85_265V	2700 - 7000K	W/WW	50000H	φ148xH290mm	AL